rinted:07-07-2004

CLMSPAMD

EP03769348.8

2, JUL. 2004 16:08

+49 69 743462162

NR. 4218

#### New claims

- A chemical composition comprising
  - (a) sclerotium gum:
  - (b) a copolymer selected from the group consisting of methyl vinyl ether/ maleic anhydride copolymer and acryloyldimethyltaurate vinylpynolidone copolymer.
  - (c) a suitable carrier; and
  - (d) one or more electrolytes wherein the electrolyte is an effective amount of at least one topically acceptable salt of at least one ethanolamine derivative of formula L

(R1)(R2)NCH2CH2OH (I).

wherein in formula L R1 and R2 independently represent hydrogen, C3.6 cycloalkyl or C1-6 alkyl, optionally substituted with hydroxyl, methoxy, oxo or formyl, and/or a Vitamin C salt.

- 2 The chemical composition according to claim 1 wherein component (b) comprises the ammonium salt of acryloyidimethyllaurate vinylpyrrolidone copolymer.
- 3. The chemical composition according to claim 1 or 2 wherein the ethanolemine of formula I is a mixed glycolate/citrate salt of dimethylethanole-
- The chemical composition according to one of the preceding claims comprising:
  - (a) from 0.005 to 3 %, in particular from 0.005 to 1 %, of scierotium gum;
  - (b) a from 0.005 to 3 %, in particular from 0.005 to 1 %, of a copolymer selected from the group consisting of PVM/MA crosspolymer and ammonium acryloyldimethyltaurate vinylpyrrolidone copolymer,
  - (c) a suitable carrier, and
  - (d) from 0.001 % to 5 %, in particular from 0.001 % to 3 %, further in particular from 0.005 % to 1.5 %, of one or more ejectrolytes.
- 5. A topical formulation comprising a composition as claimed in the preceding claims and further ingredients.
- 6. The topical formulation as claimed in claim 5 wherein the further ingredients comprise surfactants, emulsifiers, consistency factors, conditioners, emollients, skin caring ingredients, moisturizers, humectants, thickeners, lubricants, chelating agents, fillers, binding agents, anti-oxidants, preservatives, active ingredients, in particular dermatologically active ingredients, fragrances, dyes: and/or opacifying agents, provided that they are physically and chemically compatible with the other components of the composition.

BEST AVAILABLE COPY

# BEST THE LEGISL

### BEST AVAILABLE COPY

WO 2004/028501

PCT/EP2003/010921

-23-

Wherein in formula I,  $R^1$  and  $R^2$  independently represent hydrogen,  $C_{3-6}$  cycloalkyl or  $C_{1-6}$  alkyl, optionally substituted with hydroxy, methoxy, oxolor formyl.

- 5
  7 8. A formulation according to claim 6 wherein the ethanolamine of formula I is a mixed glycolate/citrate salt of dimethylethanolamine.
- 8 9. A formulation according to claim 5, wherein the electrolyte is a Vitamin C salt.
- 7 10. The use of a composition as claimed in any of claims 1 to 4 for manufacturing a topical or in particular a cosmetic formulation.

## REST ANAHANDAE CORY

PCT/EP2003/010921

-22-

### BEST AVAILABLE COPY

#### **Claims**

- 1. A chemical composition comprising:
- (a) sclerotium gum;
  - (b) a copolymer selected from the group consisting of methyl vinyl ether/ maleic anhydride copolymer and acryloyldimethyltaurate vinylpyrrolidone copolymer, in particular the ammonium salt of the latter; and
  - (c) a suitable carrier.

10

5

- 2. A chemical composition according to claim 1, further comprising:
  - (d) one or more electrolytes.
- 3. A chemical composition comprising:
- 15 (a) from 0.005 to 3%, and in particular from 0.005 to 1 % of sclerotium gum
  - (b) a from 0.005 to 3 %, and in particular from 0.005 to 1 % of a copolymer selected from the group consisting of PVM / MA crosspolymer and ammonium acryloyl dimethyl taurate vinyl pyrrolidone copolymer
  - (c) a suitable carrier.

20

- 4. A chemical composition according to claim 3 further comprising:
  - (d) from 0.001 % to 5 %, in particular from 0.001 % to 3 %, further in particular from 0.005 % to 1.5 % of one or more electrolytes.
- 25 5. A topical formulation comprising a composition as claimed in the preceding claims and further ingredients.
  - 6. A formulation according to claim 5, wherein the electrolyte is an effective amount of at least one ethanolamine derivative of formula I, or a topically acceptable salt thereof:

30

$$R^1$$
  
N-CH<sub>2</sub>-CH<sub>2</sub>-OH (I),

**CONFIRMATION COPY**